

**To:** Deltoral, Miguel[deltoral.miguel@epa.gov]; Bosscher, Valerie[bosscher.valerie@epa.gov]  
**Cc:** Bair, Rita[bair.rita@epa.gov]; Poy, Thomas[poy.thomas@epa.gov]  
**From:** Porter, Andrea  
**Sent:** Thur 6/1/2017 5:18:05 PM  
**Subject:** RE: USSSL - Good Link --> includes press release from IDEM on lead testing results in east chicago

Hi Miguel,

Thanks for the link.

Did you see that IDEM issued a press release yesterday on the lead sampling they did in East Chicago?

<http://www.in.gov/myihcda/files/IDEM%20announces%20sampling%20results%20for%20East%20Chicago%27>

Thanks,

Andrea Porter

Environmental Engineer

Ground Water & Drinking Water Branch

U.S. EPA, Region 5 (WG-15J)

77 W. Jackson Blvd.

Chicago, IL 60604

Phone: 312-886-4427

Fax: 312-697-2656

**From:** Deltoral, Miguel  
**Sent:** Thursday, June 01, 2017 11:34 AM  
**To:** Porter, Andrea <porter.andrea@epa.gov>  
**Subject:** Fw: USSSL - Good Link

fyi

Miguel A. Del Toral

Regulations Manager  
U.S. EPA R5 GWDWB  
77 West Jackson Blvd, (WG-15J)  
Chicago, IL 60604  
Phone: (312) 886-5253

---

**From:** Fulghum, Mary  
**Sent:** Thursday, June 1, 2017 10:58 AM  
**To:** Poy, Thomas  
**Cc:** King, Carol; Klassman, Debra; Bosscher, Valerie; Deltoral, Miguel  
**Subject:** FW: USSL - Good Link

Catherine Garypie came across this link which is pretty comprehensive:

Check out the partners and correspondence which appear to be current re what is happening at the Site, particularly with regard to state efforts:

<http://www.in.gov/myihcda/eastchicago.htm>

NOTICE: This email and any attachments to it are intended only for the party to whom they are addressed. This email may contain privileged and/or confidential information. If you have received this transmission in error, please notify the sender immediately and delete any digital copies and destroy any paper copies. Thank you.